

OBMW2.E337948 - Magnet Wire - Component

Magnet Wire - Component

See General Information for Magnet Wire - Component**SIHUI HENGHUI ELECTRICAL APPLIANCES CO LTD**

E337948

Nanjiang Industrial Zone Dasha
 Sihui, Guangdong 526000 CHINA

Material Designation	Mark Dsg	Base Coat	Top Coat	ANSI Type	Temp Class
* UEW/155 or QA*/155 (@)	* UEW/155 or QA*/155 (@)	Polyurethane	-	MW 79-C	155
*PEW/155	*PEW/155	Polyester-imide	Polyamide	MW 24-C	155
EIW	EIW	Polyester-imide	-	MW 30-C	180[#]

[#] - The magnet wire may perform better than the rating reflects and may not be suitable for insulation system, varnish or end-product testing. Further consideration is necessary prior to its use in testing.

@ - *- May be replaced by 0, 1, 2 and 3 to denote coating thickness.

Marking: Company name and material designation or marked designation on the shipping spool label or smallest unit container in which the product is packaged.

Last Updated on 2020-06-16

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2021 UL LLC"